



KAPI | KAPAK | SÜPÜRGELİK

Doğru tercih,
Doğru kalite.



Tarihçemiz

1970

Hasan DİLEMRE tarafından mobilya ve kapı imalatına başlanmıştır.

1987

Birlik ticaret adı altında kaplama ve kereste ticaretine başlanmıştır.

2010

BRL Orman Ürünleri Ltd. Şti. kurulmuştur. Mobilya aksesuarları ve hırdavat satışı başlanmıştır.

2006

MDF ve Sunta ticaretine başlanmıştır.

2008

Sıcak kaplama presli ile mobilya üreticilerine yönelik hizmet vermeye başlanmıştır.

2011

İlk CNC
makinamız
hizmet vermeye
başlamıştır

2014

BRL Door Markamız
ile iç oda kapısı
üretim tesisimiz
hizmete girmiştir.

2018

Entegre Boya Tesisimiz
faaliyete geçirilerek Lake
Kapak, Lake Süpürgelik
üretimine başlanmıştır.

2021

Tam otomatik CNC
üretim hattımız
hizmete girmiştir.



Premium series





401

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





402

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ZAGREB

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

12mm lake boyalı panel / 12mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM

ÇEVRE DOSTU

FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



BÜKREŞ

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

12mm lake boyalı panel / 12mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



The background of the image is a close-up of a wooden surface, possibly a table or floor, with a light grayish-brown tone. The wood grain is visible, running horizontally. Numerous small, clear water droplets of varying sizes are scattered across the entire surface, giving it a wet appearance. The lighting is soft, creating gentle reflections on the droplets and the wood.

Elit

series



101

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM

ÇEVRE DOSTU


FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



102

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





201

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KILIT



202

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





301

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
elit series



302

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010



303

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

10mm lake boyalı panel / 10mm lacquered panel


Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm
Oval Pervaz / Oval Casing: 80x18x2200mm
DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
elit series



HAWAİİ

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6mm lake boyalı panel / 6mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



KİEV

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6mm lake boyalı panel / 6mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
elit series



VIYANA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6mm lake boyalı panel / 6mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





Standart series





ELEGANT

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÜKSÜZ
MENTEŞE



SESSİZ
KİLİT



ELEGANT Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTESE



SESSİZ
KİLİT



ART

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



ART Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ASENA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÜKSÜZ
MENTEŞE



SESSİZ
KİLİT



ASENA Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEVAZ



RAL 7001



RAL 9010



ELİF

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM

ÇEVRE DOSTU


FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



ELİF Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ELİPS

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ELİPS Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ESİN

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KILIT



ESİN Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228



Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





KOZA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm

RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



KOZA Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





SELİN B

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL

YÖNSÜZ
MENTEŞESESSİZ
KİLİT**BRL**Door
standard series

SELİN B Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010



YAY

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
standard series



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

YAY Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



ZETA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



ZETA Camlı

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEVAZ



RAL 7001



RAL 9010



Project

series





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

OSLO

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm

RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



DUBLİN

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ASİMETRİ

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
project series



ASTANA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010



DAKKA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm

RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



MOSKOVA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEAZ



RAL 7001



RAL 9010



BEYRUT

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm
Boy/Height: min 600mm - max 920mm
Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YANIT
MINİES



SSS
KİT

BRLDoor
project series



RAL 1003	RAL 1015	RAL 1019	RAL 2009	RAL 3000	RAL 5014	RAL 6021	RAL 7015
RAL 7032	RAL 7037	RAL 8024	RAL 9004	RAL 9002	BEYAZ	RAL 7001	RAL 9010

HARMONY

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



601

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228


Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





602

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





603

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU




FİTİL



YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT



PRAG

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm



RAL 1003



RAL 1015



RAL 1019



RAL 2009



RAL 3000



RAL 5014



RAL 6021



RAL 7015



RAL 7032



RAL 7037



RAL 8024



RAL 9004



RAL 9002



BEYAZ



RAL 7001



RAL 9010



zİGANA

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL





YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
project series



TOKYO

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





MİLANO

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





ÖZEL ÜRETİM



ÇEVRE DOSTU



FİTİL




YÖNSÜZ
MENTEŞE



SESSİZ
KİLİT

BRLDoor
project series



DENVER

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)

110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm

Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm





KOPENHAG

Kanat Ölçüleri / Leaf Measurement

En/Width: min 600mm - max 920mm

Boy/Height: min 600mm - max 920mm

Kalınlık/Thickness: 42 mm

Nitelik / Features

6 mm lake boyalı panel / 6 mm lacquered panel

Kasa Ölçüleri (mm) /

Frame Measurements (mm)


110, 130, 150, 170, 190, 210, 228

Pervaz Seçenekleri / Casing Options

Düz Pervaz / Plain Casing: 88x12x2200mm


Oval Pervaz / Oval Casing: 80x18x2200mm

DP10 Pervaz / DP10 Casing: 88x18x2200mm




KAPI CAM ALTERNATİFLERİ


G11




G21




G31




G18




G24




G34




G112



G26



G36



LAKE SÜPÜRGELİKLER

ÜRÜN	ÜRÜN KODU	ÜRÜN KODU	AÇIKLAMA
		SP 9	9 mm x 85 mm x 2800 ölçülerindedir. Boy olarak fiyatlandırılır.
		SP 12	12 mm x 85 mm x 2800 ölçülerindedir. Boy olarak fiyatlandırılır.
		SP 18	18 mm x 85 mm x 2800 ölçülerindedir. Boy olarak fiyatlandırılır.
		KS 10	18 mm x 134 mm x 2800 ölçülerindedir. Geçme aparatı hariçtir. Boy olarak fiyatlandırılır.



KAPI | KAPAK | SÜPÜRGELİK



MERKEZ

Eskihisar Mah. 8019 Sk. No: 8
Merkezefendi / DENİZLİ - TÜRKİYE



FABRİKA

Sevindik Mah. 2343/4 Sk. No: 2
Merkezefendi / DENİZLİ - TÜRKİYE

☎ (0258) 268 91 92

☎ (0258) 268 56 00

✉ brl@brldoor.com

www brldoor.com

www brlorman.com

www lakekapak.com